Exhibit at the **ARB Show**



Risk Assessment Guidance Notes

All exhibitors and skills/competition organisers must review all sections.

Emergency information

The ARB Show

Friday 17 and Saturday 18 May 2019

LOCATED AT:

Westonbirt
The National
Arboretum

Westonbirt, The National Arboretum,

Tetbury, Gloucestershire

POSTCODE: GL8 8QS

BEARING: 51.608853 N - 2.217882 W

GRID REFERENCE: TR 921 984

NEAREST MINOR INJURIES UNIT AND CASUALTY DEPARTMENT: Minor Injuries – Tetbury Hospital,

Malmesbury Road, Tetbury, Gloucestershire GL8 8XB

- T: 01666 502336

Casualty - Cirencester Hospital A&E,

The Querns, Tetbury Road, Cirencester, GL7 1UY

- T: **01285 655711**

General

It is the Arboricultural Association's aim to lead by example and set the highest professional standards. Risk Assessment is a necessary part of our legal and moral obligation to ensuring the safety of exhibitors and those visiting the ARB Show. In order to discharge this duty we require **ALL** exhibitors to supply a Risk Assessment which must cover the Set Up of the Stand, Time During the Event and Break Down of the Stand.

Please read the 'Stand & Demonstration Risk Assessment Guidance' overleaf and complete your Risk Assessment accordingly. Copies of your Risk Assessment may be uploaded to the online booking form or emailed to **events@trees.org.uk** within 7 days of your booking. A copy of your Risk Assessment must be held on your stand at all times i.e. during the event build up, on the exhibiting days and during take down.

An Exhibitor Risk Assessment Proforma can be downloaded from the online order form or ARB Show Exhibitor website page, and must be completed and returned with 7 days of your booking. If you are demonstrating equipment or techniques you are required to provide an additional risk assessment. Please ensure that your assessment does not omit any relevant items shown on the proforma and that it is specific to your activities at the ARB Show 2018. A copy of the completed and signed risk assessment may be uploaded to the online booking form or returned to **events@trees.org.uk** within 7 days..

If in doubt further guidance is available from the Health & Safety Executives free publication 'Five Steps To Risk Assessment' INDG163, Telephone HSE books 01787 881165, or contact your nearest HSE regional office. Advice on COSHH is also available from the HSE website:

www.hse.gov.uk/pubns/guidance/index.htm.

Please note that the ARB Show 2018 must now comply with the Construction (Design and Management) Regulations 2015. As such further information may be required regarding the design and construction of your exhibit.

If you need further guidance please contact Tony Lane, the Safety Officer for the event, as follows: tony@amlane.co.uk, or AA Senior Technical Officer, Simon Richmond simon@trees.org.uk or **01242 522152**.



Grow **your** business

GENERAL: STAND & DEMONSTRATION RISK ASSESSMENT GUIDANCE

It is the Arboricultural Association's aim to lead by example and set the highest professional standards. Risk Assessment is a necessary part of our legal and moral obligation to ensuring the safety of exhibitors and those visiting the ARB Show. In order to discharge this duty we require **ALL** exhibitors to supply a Risk Assessment.

ALL Risk Assessments must cover the set-up of the stand, time during the Show and break down of the stand. **ALL** Risk Assessments will be subject to the approval of the Safety Officer prior to the Show. **ALL** staff, agents and sub-contractors must be aware of and have access to their Risk Assessment.

An exhibitor Risk Assessment form can be downloaded from the online booking form and must be completed by **ALL** exhibitors. The section numbers below correspond with the issued stand risk assessment form numbers for ease of reference. If there are any queries please contact your local Health & Safety Executive Office (www.hse.gov.uk) and ask them for their leaflet '5 Easy Steps To Risk Assessment'. If you require further guidance please call Tony Lane (Safety Officer) at tony@amlane.co.uk or on **01884 840386** or AA Senior Technical Officer, Simon Richmond at simon@trees.org.uk or on **01242 522152**. All stands or events demonstrating **MACHINERY**, **EQUIPMENT** or **TECHNIQUES MUST** have a comprehensive Risk Assessment in addition to the general form covering the whole event. Guidance may be sought as above.

1. General Safety

- a. During the show, including the set-up and take down period, you are operating fully under the provisions laid down in the *Health & Safety at Work (etc) Act 1974* and associated Regulations to include the *Construction (Design and Management) Regulations 2015*.
- Please obey ALL venue speed limits. Speed limits within the show ground or demonstration area is 5mph. Vehicles moving off road to or within show/demonstration/competition areas MUST proceed with extreme caution to avoid damage to venue property
- All persons, whether demonstrating or using any machinery, MUST have the appropriate certification of competence or training (as appropriate) and have the certificate available for inspection.
- d. Operators of plant or machinery must be trained and competent to do so. Evidence of competency should be available for inspection.
- e. Fires or barbecues **MUST** not be lit within the show grounds without the permission of the Safety Officer.
- f. Any area marked and taped off is out of bounds and must not be entered.
- g. Each exhibitor should appoint one person to represent their organisation on safety matters and liaise with the show Safety
- Exhibitors & Event Organisers MUST carry out a risk assessment covering their time at the show.

2. Demonstration

- Demonstration is defined as the starting and active use of powered machinery. It further includes the opportunity for visitors to have a go with machinery or equipment that exposes them to the risk of cut, pinch, fall or injury.
- Ensure that the demonstration area is clear of people before operations start.
- ALL ropes, barriers and other static crowd controls MUST be clearly visible, firmly fixed and at an adequate distance from working machinery.
- Exhibitors MUST have marshals facing the public to ensure that they keep behind barriers whilst machinery is demonstrating.
- e. **ALL** machinery must have correctly fitting guards to the appropriate standards
- f. Fuels must be stored in approved containers away from the public.
- g. Exhibitor's vehicles, equipment, materials etc., **MUST NOT** obstruct emergency access routes, rides and pathways.
- ALL visitors testing equipment being exhibited MUST wear appropriate personal protective equipment and be supervised by a competent person.
- Exhibitors MUST have sufficient staff on site to ensure that safety standards are complied with in accordance to FISA, AFAG, HSE or other prevailing codes of best practice.

3. Tentage, Marquees & Display Trailers / Vehicles

- Marquees and tents provided by the Show Organiser are subject to the following restrictions:
 - No cross bracing, quy ropes, pins or other fixings may be removed from the frame or tent structure without the express permission of the Safety Officer. (With the exception or ground rails for side curtains).
 - ii. No flag poles or banner supports or other structures may be attached the tent structure that project above the roof apex or 1m above eaves edge whichever is the lower. IN ALL cases the tent MUST NOT be subject to excessive additional wind loading by attached structures.
- ALL tentage supplied and erected by outside contractors (marquee hirers) will conform to the MUTA Code Of Practice For Marquee Hirers & Code of Public Safety – Use and Operation of Marquees.
- c. Tents, gazebos, awnings (Up to 3m square and no higher than 3m to the ridge). These cover 'pop-up' type tents.
 - i. Be flame retardant to BS7837 or equivalent EU standard.
 - ii. Be structurally sound, free from defect and fit for the purpose.
 - iii. Able to withstand normal weather conditions to include high winds especially when unattended.
 - iv. Guy ropes will be fitted appropriate to the wind conditions.
 - v. Free from sharp edges, protrusions or crush risks.
- Marquees, Tents or any other structure within which the public are invited erected by you MUST meet the following requirements:
 - i. Be flame retardant to BS7837 or equivalent EU standard.
 - Erected by a MUTA or equivalent registered marquee / tent erector.
 - iii. Be structurally sound, free from defect and fit for the purpose.
 - iv. Able to withstand normal weather conditions to include high winds especially when unattended.
 - v. Guy ropes will be fitted appropriate to the wind conditions
- e. Display Vehicles & Trailers
 - Erection and deployment of the vehicle within the allotted stand will be undertaken by the hire company or by a suitably trained and competent operator.
 - ii. Access and exits will be stable and free from trip or slip.
 - iii. Edge guarding and hand rails will be in place to prevent falls from staging or steps.
 - iv. Awnings and raised hoardings will be secure. Gas struts will be propped.
 - Vehicle braking, chocks or other method of immobilising the vehicle will be in place.
 - vi. LPG must be stored outside of the vehicle/trailer, or in a cabinet adequately ventilated to the outside, and secure. Pipe work must be protected and be in good condition. A gas safety certificate will be required for fixed installations.

Exhibit at the **ARB Show**



4. Slips, trips & falls

- a. Guy ropes, fixing pins, frames and other trip hazards will be clearly marked & protected.
- Exhibits, merchandise, stands, exhibits and other items will be positioned to minimise the risk of trip or the obstruction of public walkways.
- ALL low level exhibits, merchandise, stands, exhibits and other items will be marked to minimise the risk of trip.
- ALL surfaces will be slip resistant in all conditions whether wet or dry.
- Wires or cables will be buried, placed within a cable protector or routed to avoid walk ways.
- f. Edges of staging or steps must be suitably guarded against accidental falls.

5. Tables, stands, exhibits, signs, shelves & display boards

- a. Free from sharp edges or edges are adequately protected.
- b. Stable and will not collapse or fall over if accidentally knocked or lent on
- c. Adequate for the loads applied.
- d. Are secure in windy conditions.
- e. Any items likely to cause cuts, penetrating wounds, pinch or crush injuries are suitably masked and/or secured.
- f. ALL canes or small diameter tree stakes (<12mm) MUST have end protectors.

6. Static non-demonstration machines & vehicles

- a. Free from sharp edges or protrusions likely to cause injury or area around machine/vehicle is cordoned off.
- The machine/vehicle is immobilised and cannot be started by unauthorised personnel.
- The machine/vehicle is stable and cannot be tipped or fall if leant against, climbed on or sat on.
- Any covers, guards or machine parts that can fall or otherwise cause harm to unsupervised visitors MUST be adequately propped and/or secured.
- ALL raised bodies, tipper beds, booms or similar MUST be propped or have an adequate mechanical interlocks to prevent failure or accidental operation.
- f. Exposed machine parts to include knives, flywheels and any other part that might cause cut, crush or other injury MUST be guarded, cordoned off or only accessible under direct supervision of exhibitor staff.

7. Manual handling

- a. **ALL** exhibitors MUST comply with the *Manual Handling Operations Regulations 1992.*
- ALL personnel engaged in manual handling will be adequately trained for the task.
- ALL manual handling tasks MUST be assessed by a competent person and effective controls put in place.

8. First aid

- Each stand is required to have a first aid kit appropriate to the number of staff on the stand and the nature of the activities undertaken.
- Each stand MUST have an appointed person aware of the First Aider location at the show and the emergency information.
- c. First aid facilities will be available on the event.
- The Show Safety Officer MUST be informed of any accident immediately.

9. Fire Safety & Smoking

- a. SMOKING is prohibited in all enclosed spaces to include tents, marquees.
- b. Exhibitors **MUST NOT** obstruct designated fire escape routes or emergency access points.
- No fires, barbeques, gas burners, cookers are permitted on the site of the venue without the Safety Officer's permission.

- Fuel and other highly flammable substances will be stored in the correctly marked containers, out of sunlight, away from sources of ignition and secured against accidental spillage or rupture
- e. Storage of highly flammable substances outside will be adequately ventilated to avoid creating potentially explosive atmospheres.
- f. LPG MUST be stored outside of the vehicle/trailer/tent, or in a cabinet adequately ventilated to the outside, and secure. Pipe work must be protected and be in good condition. A gas safety certificate will be required for fixed installations.
- Marquees, tents, trailers and display vehicles MUST have adequate provision for evacuation in case of fire.
- ALL outside exhibitors must have a suitable fire extinguisher on their stand.
 - i) In the event of fire:
 - i) Raise the alarm.
 - ii) Contact the nearest Show Official.
 - iii) Move the public away from the fire.
 - iv) Tackle the fire **ONLY** if it is safe to do so.

10. Vehicle or machinery movement

- During the official opening hours of the show no machine or vehicle may be moved outside of the exhibitor's designated stand or demonstration area without the permission of the show Safety Officer. Any such vehicles and machines movements MUST be escorted by a member of the show Safety Team.
- Machines or vehicles MUST NOT be parked so as to obstruct EMERGENCY ACCESS routes.

11. Hazardous substances

- a. Exhibitors will comply with the *Control of Substances Hazardous to Health Regulations*.
- b. Any substance marked with a hazard warning symbol **MUST** be accompanied by a *Material Safety Data Sheet* and *CoSHH Assessment*.

12. Cranes, hoists (MEWPS), forklifts and grabs

- a. **ALL** lifting equipment and operations must be in accordance with the *Lifting Operations & Lifting Equipment Regulations*.
- Operators must hold the relevant Certificate of competence or Training e.g. CITB, CPCS, NPTC (MO) or (FMO), which MUST be available for inspection.
- ALL lifting equipment must be certificated as checked by a competent person in the last 12 months (or 6 months where lifting people). ALL lifting equipment MUST have the Safe Working Load clearly marked.
- d. There **MUST** be a clearly marked barrier or banksman posted at a safe distance around both operating machines and loads.

13. Personal Protective Equipment (PPE)

 a. ALL PPE as specified by industry best practice e.g. FISA, AFAG, CITB, and the exhibitors risk assessment MUST be worn as appropriate to the task being undertaken.

14. Generators & electricity

- Liquid Propane Gas (LPG) & Petrol powered generators are NOT PERMITTED at this event.
- b. Diesel powered generators are acceptable where adequate fire precautions are in place and where fumes, noise and location do not present a nuisance to danger to others.
- c. Generators should be of the quiet type. Any generators considered too noisy by the organisers will be turned off.
- d. Fumes from generators must be adequately ventilated away from confined spaces such as marquees, tents or vehicles.
- e. Generators MUST be stopped before refuelling. Refuelling must be from an appropriate container, correctly marked and which reduces the risk of spillage.
- f. ALL electrical equipment must carry an electrical test certificate (Portable Appliance Testing) in accordance with BS7671:1992.
- g. ALL generators must be adequately earthed and have a Residual Current Device (RCD) or earth monitoring device that has been tested before use.



Grow your business

- ALL electrical leads, plugs and connections MUST be appropriate for outside use and/or be protected against moisture and accidental spills.
- ALL electrical leads must be protected against accidental damage and causing a trip hazard.

15. Timber stacks

- These MUST NOT exceed 1m high unless supported, be stable and if necessary be checked.
- Stacks MUST be positioned so that neither the public nor the operators are at risk if material should fall.
- c. The public MUST NOT be permitted to stand on stacked timber and stacks must be clearly signed: DO NOT CLIMB ON TIMBER STACKS.

16. Set up & take down

- Show set up and taken down will only occur during the times specified in the booking form.
- ALL personnel onsite during the set up and take down phase MUST wear HI VIS clothing to EN 471.
- c. The site speed limit of **5mph MUST** be obeyed at all times.
- Before setting up or taking down a stand the exhibitor
 MUST liaise with adjoining stands to ensure Health & Safety is maintained at all times.
- e. Machines may not be demonstrated until the stand is set up and the safety barriers are in place.
- f. Reversing of vehicles 7.5T or above is MUST be under the direction of a banksman.
- g. ALL forklifts and self-propelled lifting equipment MUST have a Thorough Examination Report under LOLER and be operated by a trained and competent person.

17. Vehicles, machines & equipment

- a. ALL road vehicles MUST comply with Department for Transport & VOSA requirements. A valid Road Tax Disc should be displayed where appropriate and proof of roadworthiness either as a valid MOT certificate or other maintenance/service records MUST be available.
- Drivers MUST hold the requisite DVLA licence for the vehicle they are operating on site.
- c. ALL used equipment or machines MUST have proof of adequate safety checks in the form of a log book, safety test certificate or periodic inspection record.
- Machines being exhibited or demonstrated MUST comply with the relevant EU safety standards and be CE marked or EN approved.
- Operators MUST be adequately trained and hold the requisite proof of competency (CITB, LANTRA, NPTC, DVLC, etc.) for the vehicle or machine that they are operating.

18. Noise

- a. Exhibitors MUST ensure that adequate Ear Protection Zones are set when using machinery on site. This will require the use of appropriate PPE within the EPZ, the liaison with adjoining stands and the exclusion of unauthorised personnel from the zone during operation.
- Periods of high noise output should not exceed 10 minutes with a minimum break of 20 minutes between such demonstrations.
 Sound levels MUST NOT exceed 140dBI.

19. Fumes, Dust, Smoke, Arisings & Rubbish

- a. Fumes, dust, smoke or other arisings e.g. woodchip or saw dust MUST be directed away from visitors and other stands so as not to cause a hazard or nuisance.
- ALL arisings MUST remain within the stand area, be left in a safe state and/or cleared as required in the terms and conditions.
- ALL rubbish and packaging generated by the stand MUST either be taken away by the exhibitor or deposited in the designated exhibitor rubbish skips.

20. Working at height, ladders, steps & tree climbing

- a. **ALL** work at any height **MUST** be in accord with the *Working At Height Regulations* and wherever reasonably practicable avoided.
- ALL ladders, step ups and scaffolds MUST be fit for use and inspected by a competent person. Scaffolds must certified by PASMA qualified person.
- Scaffolds MUST be inspected before use and after use on each day or prior to use on the following day. A record of inspection MUST be available for inspection.
- Any tree climbing activity MUST conform to industry best practice (Guide to Good Climbing Practice, AFAG) and prevailing best practices.

21. Food, Catering & On Stand Hospitality

- a. Only food and drink vendors authorised by the organisers may provide food to visitors to the show whether free or for reward. This includes on stand hospitality.
- Cold & Hot drinks may be served as part of stand hospitality together with pre-packaged food items such as crisps and biscuits.
 Cooked or other prepared foods are not permitted without the agreement of the organiser and satisfying the food hygiene requirements of the event.
- ALL cooking and heating appliances MUST conform to the safety standards above.
- d. ALL Gas appliances must be secured, fitted with safety valves and adequately ventilated. Under NO circumstances may gas cylinders be stored within a tent or marquee. Installed gas appliances MUST have a valid Gas Safety Certificate.
- ALL free standing gas cylinders MUST be firmly secured to prevent them falling over.
- f. The maximum size of LPG gas cylinder onsite is 15kg.
- g. Food preparation and cooking MUST conform to Food Hygiene Best Practice.
- ALL food waste must be disposed of in a closed bag in the skips provided.

22. Staging, scaffolding, steps, ramps or other built structures (Temporary Demountable Structure [TDS])

- a. TDS structures include stages >200mm in height, any scaffolding including portable load bearing frames assembled onsite (excluding shelving), lighting gantries, radio masts or towers, timber structures or any other structure assembled and installed for use at the event. This excludes shelving for shop goods as listed above, flagpoles <4m in height but includes banner frames mounted above 3m from ground level.
- b. TDS will be subject to a design and construction statement outlining the design limits for the TDS e.g. load bearing calculations, a plan showing the location of the TDS on stand and a method statement for the construction as well as the break down post event of the TDS, this will be submitted not less than 28 days prior to the event opening.
- c. A complex structure is defined as the following:
 - Any stand over 4 metres in height (this limit includes the overall height of the stand fitting, any branding and all raised platforms as measured from ground level).
 - Any structure regardless of its height which requires structural calculations.
 - iii. Any part of a stand or exhibit which exceeds 4 metres.
 - iv. Multi-storey stands.
 - v. Platforms and stages over 600mm high and all platforms and stages which are accessed by the public for viewing purposes (not including stand floor flats and platforms) will need to be signed off by an independent structural engineer.
 - vi. Temporary raised or tiered seating.
 - vii. A stand requiring foundations.
 - viii. Sound/lighting towers.
- ALL complex structures listed above and as deemed by the organiser will conform to The Institution of Structural Engineers -Temporary Demountable Structures Guidance (Third Edition April 2007),

Exhibit at the **ARB Show**



- available from The Institution of Structural Engineers, 11 Upper Belgrave Street, London SWIX 8BH.
- e. ALL temporary scaffold structures will be installed by a competent contractor and where accessible to contractors, exhibitors or the public signed off by as safe to use prior to first use. Scaffold structures will be subject to a daily inspection by a competent person once erected. Reference should be made to NASC guidance.

23. Flags, Banners, tethered Balloons, Drones & Blimps

- Flags to include feather flags MUST be stable and fixed to ensure they remain stable especially in high winds.
- Guy ropes are not permitted without the permission of the Safety Officer and then only where they do not cause obstruction or trip hazard.
- c. Flag poles may not exceed 4m in height.
- d. Flags and banners attached to structures such as marquees, fencing or other structures MUST NOT cause that structure to become unstable in high winds.
- The bottom edge of the flag MUST NOT hang between 0.5m
 1.8m above ground to avoid eye injury in windy conditions.
 Where a risk to eyes is identified flag corners must be secured.
- f. ALL balloons (helium or other large tethered type) and tethered blimps are only permissible with the permission by the Safety Officer.
- g. Drones of any type may not be flown on, over or adjacent to event without the permission of the Safety Officer. Drone pilots MUST in all cases comply with CAA requirements.

The Principal Sponsor of The ARB Show

